CENTRAL RAILWAY
NO;- PA/E/PA DSL SHED/POSITION

OFFICE OF THE
SR.DME(D)PA
DT;- 28/6/10

CMPE/DSL/IR

SUB;-Information of DSL Loco Shed, GPR Pune.
REF;- EDME/TR/RB's Message No -04/95/24/RB dt

I BRIEF HISTORY

Loco of shed in colour Scheme

Deep Orange
Pale Cream
Deep Orange

Photo of Shed - Not Available

1 Year of establishment - Aug.1981
2 Road No./Type of the first loco homed in Shed - No.17898 WDM 2
3 Details of any heritage Locos in Shed on Pedestal or otherwise -
4 ISO Certification Year
9001- Recertification valid upto 22/01/2012
14001- Certification awarded valid upto 17/10/2012
18001- Certification awarded valid upto 17/10/2012
5 Type-wise holding - WDM2-33 Nos,WDG3A-42Nos,WDM3A-36Nos,WDM3D-8,WDS6-8,WDM2S-9
6 Maximum Holding -136 locos
7 Present Loco link - 62+1 Deccan odyssey Train
8 Homing Capacity - 100 Locos
9 Augmentation Plans - Augmentation of infrastructural Maintt. Facility.
10 Other History

Ernst while steam shed, Ghorpuri under UBL Divn.of SC Rly.And steam shed Daund under SUR Divn. Of C. Rly. Were closed down and absorbing the surplus staff giving conversion training at Diesel Loco Shed Pune.Commissioned in 1981

II VITAL STATISTICS

1) Sanctioned Strength including Officer & Supervisor		- 1132
2 On Roll Strength		- 937
3 No of Officers		- 07
4 No of Supervisor		- 99
5 Total Area		- 59,825 m2
6 Covered Area		- 12,270.50m2
7 % age of Staff housed in Rly.Qr.		- 20.93%
8 Power Consumption		- 86592 KWH/month
9 Water Consumption		- Not available will be sent later

10 Educational Profile of Staff -- Will be sent later since particulars to be obtained from SR

11 Age profile of Staff -- Will be sent later since particulars to be obtained from SR

12 MPR as circulated by E & R Dte

III <u>Performance Parameters</u>

1 SFC	Per 1000 GTKM	- Freight- 4.37 litres
		- Pass - 2.77 litres
2 LOC		- Per 100EKM = 2.02 ltrs
3 shed Consumption of Fuel Oil		- Per loco per month = 601 ltr
4 Kms. Earned by Shed Locos/month		- 1824470






TRIAL
14817
14817
WDG3A